

Broadleaf Herbicides for Bulb Onions - April 2020

Active Ingredient	Example Trade Name	Registratio Status	Resistance Group	States Registered				
				Tas	Vic	Qld	WA	NSW
asulam	Asulox 400 [®]	Registered	K	✓	✗	✗	✗	✗
bentazone	Basagran 480 SL [®]	PER14773	C	✓	✓	✓	✓	✓
bromoxynil	Maya [®]	PER87914	C	✓	✓	✓	✓	✓
chlorthal dimethyl	Dacthal 900 WG [®]	Registered	D	✓	✓	✓	✓	✓
cyanazine	Bladex 900 WG [®]	Registered	C	✓	✗	✗	✗	✗
dimethenamid-p	Outlook 720 EC [®]	PER88567 (Tas) & PER80060 (WA)	K	✓	✗	✗	✓	✗
ethofumesate	Tramat 500 SC [®]	Registered & PER84808	K	✓	✓	✓	✓	✓
fluroxypyr	Starane Advanced [®]	PER87200	I	✓	✗	✗	✗	✗
ioxynil	Totril 250 EC [®] or UnyunoX 250 EC [®]	Registered	C	✓	✓	✓	✓	✓
linuron	Linuron 500 DF [®]	Registered	C	✓	✓	✓	✓	✓
methabenzthiazuron	Tribunil 700 WP [®]	Registered	C	✓	✓	✓	✓	✓
oxyfluorfen(wettable granule formulation)	Baron 400 WG [®]	Registered	G	✓	✓	✓	✓	✓
oxyfluorfen (liquid formulations)	Cavalier 240 EC [®]	Registered	G	✓	✓	✓	✓	✓
pendimethalin	Stomp 440 EC [®]	Registered	D	✓	✓	✓	✓	✓
propachlor	Ramrod 480 SC [®]	Registered	K	✓	✓	✓	✓	✓

✓ = Registered

✗ = Not Registered

--

SA	Crop Stage Registered		Withholding Period (WHP)
	Pre Emerge	Post Emerge	
x		✓	Not required when used as directed
✓		✓	8 Weeks
✓	✓	✓	Not required when used as directed
✓	✓		Not required when used as directed
x		✓	Not required when used as directed
x		✓	Not required when used as directed
✓		✓	13 Weeks
x		✓	Not required when used as directed
✓		✓	Not required when used as directed
✓		✓	Not required when used as directed
✓		✓	7 Weeks
✓		✓	Not required when used as directed
✓		✓	Not required when used as directed
✓	✓	✓	Not required when used as directed
✓	✓		Not required when used as directed